

ARIES

CARBON & PHOSPHATE

INLINE SERIES, LAYERED BED, DROP-IN CARTRIDGE

TASTE & ODOR CORRECTION


ORGANICS REMOVAL

CHLORINE REDUCTION

SCALE & CORROSION INHIBITOR

IRON, MANGANESE, & CALCIUM SEQUESTRATION

Aries Carbon/Phosphate combination cartridges use carbon to effectively improve taste and odor by removing chlorine and phosphate to reduce scale buildup. This combination of Premium GAC carbon and phosphate dramatically improves the quality of drinking water, as well as its ability to protect metal parts from corrosion when used in certain industries. Aries Inline filters cartridges are designed for low-flow, point-of-use filtration.



HIGHLIGHTS

- Taste, Odor & Chlorine Removal
- Scale & Corrosion Inhibitor
- GAC & Phosphate Cartridge containing ResinTech® GAC
- Fits Standard Residential & Industrial Size Housing
- Oversized Cartridge for Maximum Media Fill
- Quality Produced & Made in the USA
- WQA GOLD Seal certified Slow Melt NSF certified Polyphosphate crystals.

APPLICATIONS

- Drinking Water
- Food And Bev
- Water and Ice

MEDIA

- ResinTech® AGC40-CS-AW (50%)
- Slow Melt Phosphate Crystals (50%)

CERTIFICATIONS

- WQA Gold Seal
- California Prop. 65 Compliant

SPECIFICATIONS

- Nominal Rating of 25µ
- Max Pressure of 125 psi (861.85 kpa)
- Max Temperature 100°F (37.8 °C)

DIMENSIONS	SERVICE FLOW	MAX FLOW	CAPACITY	PART NUMBER
6 x 2 in. (Quick Connect)	0.3 gpm (1.14 lpm)	-	670 gallons (2,536 liters)	IFB-06-3390-QC
12 x 2 in. (Quick Connect)	0.6 gpm (2.27 lpm)	-	1340 gallons (5,072 liters)	IFB-12-3390-QC
6 x 2 in. (1/4 in. FNPT)	0.3 gpm (1.14 lpm)	-	640 gallons (2,423 liters)	IFB-06-3390-FT
12 x 2 in. (1/4 in. FNPT)	0.6 gpm (2.27 lpm)	-	1340 gallons (5,072 liters)	IFB-12-3390-FT



COMPONENT

Filter cartridge Certified to NSF/ANSI Standard 42 and NSF/ANSI Standard 61 for material requirement(s) only. Filter cartridge Certified to NSF/ANSI Standard 372 for low lead compliance.

Revision 1.0

© 2020 ResinTech, Inc.

